STATUS Endangered **

Not Listed Endangered 💢 Not Listed





A small number are found in the interior of Nova Scotia. Sightings reported throughout southwest Nova Scotia.

Habitat

Blanding's Turtles are found in freshwater wetlands and lakes (still-water streams, marshes, swamps, bogs, vernal pools, and coves). They occur in dark, slow-moving waters, with muddy bottoms and dense aquatic vegetation, including sedge, Sphagnum, sweetgale, cow-lily, and pickerel weed. Females lay their eggs in exposed, gravelly or sandy areas in June and can travel multiple kilometres over land to reach nesting areas.

Species Description

The Blanding's Turtle has a high-domed, helmet shaped and sized shell that is dark grey when dry and black with vellowish flecks when wet. It has a long neck and bright vellow chin and throat. Hatchlings are dark grey with a pale vellow throat, and toonie-sized. Full-grown adults are about 20-25 cm in length.



carapace (back): dark grey; yellowish flecks



plastron (belly): yellowish; big black blotches



South facing nesting beach



Summer wetland habitat

Blanding's Turtles are found in lakes and wetlands. Watch out for them on the roads, especially in June and July when females are up laying their eggs.

Interesting Points

- Hatchlings can walk over 100 m per day and may be able to survive freezing.
- Juveniles do not mature until their early 20s, and individuals are believed to live longer than 80 years!
- They absorb oxygen through their skin in winter, and can survive over three months underwater!
- Females often return to nest in same place each year.





Threats to Survival

- Habitat loss and degradation (cottage development, roads, forestry).
- Changes in habitat function (hydroelectric dams, invasive fish).
- Human-caused mortality (vehicles, motorboats).
- Predation of nests and hatchlings.
- Collection for the pet trade.
 How You Can Help

Learn how to recognize

Blanding's Turtles and report

sightings. If you see a turtle,

observe and appreciate but

do not disturb. Get involved

with monitoring and


protection efforts and learn how you can make a difference. Keep your yard

free of food and attractants

so that predator populations

are not unnaturally elevated.







Radio tracking a Blanding's Turtle

Lend a helping hand!

Turtles are often encountered on the road in May and June during the nesting season. If it is safe, move them off the road in the same direction they were headed. Do not pick them up by their tails because this can cause serious harm. Painted, Blanding's and Wood Turtles can be picked up by securely holding them with a grip on both the top and bottom of the shell. Snapping Turtles require more caution but there are a number of safe handling methods that can be learned by visiting YouTube to watch Toronto Zoo's video titled "How to help a Snapping Turtle Cross the Road."



Watch for Blanding's on the road when you see these signs

Similar Species

Refer to page 54 to view descriptions and photos of the four species of turtles found in Atlantic Canada: Painted Turtle, Blanding's Turtle, Wood Turtle and Snapping Turtle.



Blanding's Turtle bright yellow throat

Contacts, Information, Sighting Reports & Stewardship Opportunities

Contact: Parks Canada (Kejimkujik) (902) 682-2770
Info: www.speciesatrisk.ca/blandings, www.sararegistry.gc.ca
Sighting Reports: 1-866-727-3447 or www.speciesatrisk.ca/sightings
Stewardship: Kejimkujik: volunteer.keji@pc.gc.ca, MTRI: info@merseytobeatic.ca